



The lived experience of UK health communication professionals during the Covid 19 pandemic

Journal:	<i>Journal of Communication Management</i>
Manuscript ID	JCOM-01-2021-0014.R1
Manuscript Type:	Original Article
Keywords:	Communication Strategy, Crisis Communication, Health Communication, Leadership, Organisational effectiveness, Public Sector, Reputation, Trust

SCHOLARONE™
Manuscripts

The lived experience of health communication professionals during the Covid 19 pandemic.

This article chronicles the approaches to, impacts of and reflections on the Covid 19 pandemic for professional communicators¹ in the English National Health Service (NHS). The research covers the first 90 days of the pandemic, from the beginning of March 2020 to the beginning of June 2020: the period when it was known the pandemic would strike the UK to the point where infections were declining after ‘the first wave’.

Three phases of crises frequently cited in the public relations literature (Coombs, 2015) are covered: preparation; initial response and emerging issues from the on-going crisis; and reflection leading to revisions and lessons learned. Crisis management usually entails a fourth and prior element: prevention (Coombs, 2019), but given the pandemic was already unfolding and probably unpreventable, this is not within the scope of this article.

The research contributes insight in three areas: first, the challenges of scale and integration that the first truly global health pandemic poses for communicators working in a national, local, and individual organisational context. Second, it examines strategic and tactical approaches that optimise stakeholder impact. Third, it identifies the centrality of and proposes recommendations for public relations practitioners in situations of civil national emergency in the future.

Context

Since its inception over 70 years ago, the UK National Health Service (NHS) has become the largest publicly-funded health system and, with 1.5 million staff, the fifth largest employer in the world (Nuffield Trust, 2020). It is largely funded via general taxation (Powell, 2020), provides comprehensive care for all citizens and is free of charge based on clinical need. The system is complex. Health service responsibilities in the UK are devolved to the four nations, with the English NHS, the largest of these services, being the subject of this research. In 2019, it employed 1.2 million people and had an annual budget of £138 billion (Harker, 2019). Funded by the Department of Health and Social Care (DH&SC), commissioning of primary and secondary health services is overseen by NHS England. Primary care is the frontline of the NHS and the first point of contact for most people, for example, General Practitioners (GPs), dentists, optometrists and pharmacists.

Secondary or acute care, can be either elective (i.e. planned, such as surgery) or emergency care. Most secondary care is provided through hospitals, specialist care and mental health trusts. There are over 1700 hospitals and specialist care centres grouped in to approximately 223 Trusts (Kings Fund, 2020a). In total there are 27,000 qualified GPs, 117,000 hospital-based doctors and 319,000 nurses, midwives and health visitors (Barker, 2020) in England. Emergency vehicles, mainly ambulances, are also provided by the NHS.

1
2
3 There are 3000 professional communicators in the NHS, employed in 400
4 organisations with the most senior holding board level positions. Their range of
5 responsibilities includes internal and external communications including community
6 engagement, public affairs and patient communication.
7

8
9 The NHS is a regulated system with strict and codified measures in place to deal
10 with significant local and national emergencies such as the Covid 19 pandemic. NHS
11 England's *Emergency Preparedness, Resilience and Response Framework* (EPRR)
12 (NHS England, 2020a), first published in 2015 and updated annually, provides
13 guidance for the whole system. In it, actions are proscribed, responsibilities set and
14 standards laid down concerning such matters as governance, duty to risk assess,
15 command and control, training and cooperation (NHS England, 2020b). The
16 framework was invoked during this crisis.
17
18

19
20 Following news of the initial Covid 19 outbreak in Wuhan, China at the end of
21 December 2019, WHO declared a pandemic on 11th March 2020. The first British
22 death was a passenger on the cruise ship *Diamond Princess* docked in Japan on
23 28th February 2020, the same date on which the first transmission of the disease
24 within the UK was reported. From thereon, infections and deaths rose rapidly,
25 reaching 144 by 19th March, with 3,269 confirmed cases. On 23rd March the Prime
26 Minister announced the country was to be placed under 'lock down' and the Health
27 Protection (Coronavirus, Restrictions) (England) Regulations 2020 (UK Government,
28 2020) came into full effect from March 26th 2020. The peak of pandemic occurred
29 throughout April with the highest number of registered deaths (2234) where corona
30 virus was mentioned on the death certificate recorded on 15th April (ONS, 2020a).
31 The same official source shows that by the 13th May, registered deaths, which had
32 been falling consistently, were below 1000 per day and by 3rd July 2020, below 100
33 per day.
34
35
36

37 The research reported here covers the time period March to June 2020.
38
39

40 Literature.

41 The literature on crisis management in the public relations field is extensive, but this
42 brief overview notes a number of gaps. Manias-Munoz, Jin and Reber (2019)
43 observed in their **extensive review, that although crisis communication is ranked third**
44 among emerging research areas in public relations, there are issues. They identify
45 its organisation-centricity and summarise the view of respondents to their Delphi
46 survey as being that scholars should know the public relations practitioner
47 community better, try to bridge the gap between academia and practice and use
48 'variables other than reputation or image repair in future theoretical and
49 methodological developments'. Many of the more influential books (Coombs, 2019;
50 Fink, 2013; Coombs and Holiday, 2010; Fearn-Banks, 2007; Mitroff, 1996) which are
51 reference works, are again organisation-centric and reputation preservation and
52 repair focussed.
53
54
55

56 There are instances of research that is not organisation-centric, including Stromback
57 and Nord's (2006) consideration of government communication concerning the 2004
58 tsunami which affected Thailand and Indonesia. There are a few instances where
59
60

1
2
3 public health crises are discussed, for example, Park, Boatwright and Avery (2019)
4 who consider Zika, and government's handling of SARS and MERS is reviewed by
5 Lee (2009), Zhang & Benoit (2009) and Menon & Goh (2005).
6

7
8 Outside the public relations field there is significantly more literature on pandemic
9 communication with a number of reviews (Loud & Simpson, 2017; Infanti et al, 2013;
10 Savoia, Lin & Viswanath, 2013; Fisher et al, 2011) and models and
11 recommendations for effectiveness (Staupe-Delgado & Kruke, 2018; Amirkhani et
12 al., 2016; Cairns et al, 2013; Crouse-Quinn, 2008). Much of this mirrors the main
13 principles outlined in the public relations crisis literature on the importance and
14 nature of dialogue (Taylor & Kent, 2014) and involving stakeholders (Coombs, 2019;
15 Heath, 2010). Characteristic of the literature is the emphasis on whole-system and
16 organisational preparedness and response. Pandemic outbreak communication does
17 not focus on reputation preservation as a priority, but on 'public information.....
18 primarily transferral (broadcasting or exchange) of information before, during and
19 after an outbreak' (Loud & Simpson, 2017, p.10). The main purpose of pandemic
20 outbreak communication is to influence behaviours at scale in order to affect health
21 outcomes positively.
22
23
24

25
26 Pandemic communication is founded on a number of well-established health-
27 behaviour models (ISS TELL ME, 2013; Manika & Gregory-Smith, 2017) and good
28 communication is proven, among other factors, to be an antecedent of clinical
29 outcomes (Nichols, 2019). One of the most influential models for pandemic
30 communication is the Extended Parallel Process Model (EPPM) developed by Witte
31 (1992) and explicated in detail in the seminal text by Witte, Mayer and Martell (2001).
32 It describes how to stimulate desired population behaviours by inducing a calibrated
33 fear response, generated by trusted institutions. This and other health pandemic
34 texts are focussed on the *targets* of communication campaigns and how *structures*
35 can be put in place to handle pandemics.
36
37
38

39
40 In addition to the academic literature, there are guidance documents including those
41 from the World Health Organisation (WHO, 2005), the US government (US Center
42 for Disease Control, 2018), European Commission (European Centre for Disease
43 Prevention and Control (ECDC), 2015) and in the UK (NHS England, 2020a). This
44 latter requires that there is

45
46 ".....effective communications [to] ensure that patients and the wider public
47 are well informed about NHS service in their local area and what is expected
48 of them" (p.29)
49

50
51 Again there is a focus on communication with populations and on structural and
52 procedural matters, with little guidance on strategic approaches or operational
53 practices in communication.

54
55 In sum, public relations literature describes and theorises organisational crises
56 communication, but little on pandemics and the literature outside the field advises on
57 processes and structures for dealing with a pandemic, including the need to obtain
58 population wide supportive behaviour. However, there is a gap in all these literatures
59 about the lived experience of communicators going through a pandemic and their
60

1
2
3 communicative response to it. Therefore, a number of research gaps are addressed
4 in this article. First, the Covid 19 pandemic is of such a scale and intensity that it
5 provides the most significant opportunity to date to identify and report on emerging
6 (possibly best) communication practices at national level. Second, it identifies
7 contemporary tools and the mix of those tools that governments and health
8 organisations worldwide can use in order to be effective with a range of
9 stakeholders. Third, the pandemic communication literature, which deals with the
10 topic most comprehensively, tends to treat communicators as peripheral actors, but
11 this study identifies them as major players who have a central and vital role to play.
12
13
14
15
16

17 **Methodology and Method**

18 To examine the gaps indicated above, four time periods are investigated. First, the
19 period before the pandemic struck when communicators were preparing for the
20 inevitable (between February and beginning March 2020). Second, the point at
21 which cases began to emerge (11th to 22nd March). Third, the period when lockdown
22 was announced, hospital admissions and mortality reached their peak and ongoing
23 communication about the pandemic was unfolding (23rd March and through April
24 2020). Fourth, when the 'first wave' of the pandemic began to subside (late May,
25 early June 2020), a time when communicators could reflect on the initial outbreak.
26
27
28

29 Given the work pressure and additional commitments that communication
30 practitioners have when working in crisis, the researchers chose the survey method
31 to obtain data. A mixed methods quantitative and qualitative research instrument
32 was developed. Quantitative data was essential to discover the type and frequency
33 of activities, while qualitative data was required to discover explanations of opinions
34 and behaviours.
35
36
37
38
39

40
41 A self-completion questionnaire was developed with assistance from NHS Providers
42 (representing providers of urgent and planned secondary care) and the NHS
43 Confederation (representing organisations that plan, commission and provide
44 services). It consisted of 47 items with 19 items introducing putative moderators and
45 a 10 item classificatory variable matrix. It was pre-tested with an advisory group
46 consisting of representatives of all the organisational types to be surveyed..
47
48
49
50
51

52
53 The survey comprised five parts, a classification section which also acted as filters
54 for the analysis. Section two covered crisis preparedness, section three
55 stakeholders; channels, tools and tactics; and prioritisation of work. The fourth
56 section covered resources, processes and systems, effects and efficiency, and the
57
58
59
60

1
2
3
4 final section elicited open comments about change and challenge. Ten themes were
5 explored within the survey and wherever appropriate, respondents were asked to
6 take a perspective from a typical week from *before* and *during* the pandemic.
7
8

9
10 The total sample universe was the 3000 professional communicators across England
11 with a convenience sample of 1900 being mailed the electronic survey instrument on
12 20th May which remained open until 3rd June 2020.
13
14

15 16 17 18 **Results**

19 The survey yielded a total of 166 usable returns (5.53% of the total population,
20 8.74% of the surveyed population). **While this may seem low given the sample was**
21 **not randomised, the NHS is not a single state corporation, therefore, as a sample of**
22 **approximately 150 of 400 entities in a loose federation, the size of the return can be**
23 **viewed more positively.** The returns were analysed by IBM SPSS 25 using
24 correlation, multiple regression and exploratory factor analysis. Content and thematic
25 analysis was conducted on the qualitative aspects of the survey (Vaismoradi,
26 Turunen & Bondas, 2013)
27
28
29
30
31
32
33

34
35 Respondents were 24.7% male, 75.3% female. All staff grades were represented
36 with 8.4 % respondents being the most junior (Band 1 – 5 NHS grades), 59.7 % in
37 the Communication Manager/Head of Communication grades (Bands 6-8b), 19.2%
38 at Associate Director level (Band 8c – 8d) and 12.6% at Board Director level (Band 9
39 – Very Senior Manager). These percentages represent the profile of communicators
40 across the NHS in England.
41
42
43
44
45

46
47 Regional representativeness was confirmed by cross-referencing respondents to
48 residential populations (ONS, 2020b). All categories of organisation from national
49 and regional, providers (acute, mental health, community, ambulance trusts) and
50 commissioners responded and in line with the national percentages for each
51 segment.
52
53
54
55
56
57
58
59
60

The results are provided in chronological form, following the unfolding of the crisis as it was experienced by health communication practitioners. Within the four stages previously identified, the ten themes are presented as follows:

Stage 1: crisis preparedness (February and beginning March 2020): results for questions addressing the theme of crisis readiness

Stage 2: 'crossing the line' into the pandemic (11th to 22nd March): results covering three themes: priorities, stakeholder prioritisation, and, work and time.

Stage 3: pandemic peak (23rd March and through April 2020): results for five themes: channels and tactics, national communication leadership, local senior management, relationships and personal factors.

Stage 4: subsidence of the first wave (late May, early June 2020). The last theme addresses reflections on the outcomes of the first wave.

The authors deem it more helpful (and less repetitious) to partially discuss the ten themes alongside the results for the sake of clarity, but an overall discussion section expands on some themes and draws them together.

Stage 1. Before the pandemic struck

Theme 1: crisis preparedness

The survey investigated six areas of preparedness: rigour of processes, role-allocation, level of contact maintenance, advance training/rehearsal, acuity of horizon scanning and capabilities. Figure 1 below shows the results based on a five part Likert scale **and are mean scores**.




Figure 1. Crisis preparedness

Most NHS professional communicators considered themselves to be reasonably well prepared for the pandemic but there are significant variation between the ways in which they were prepared. 40% of respondents felt they were either “highly prepared” or “completely prepared” (including 12.1% in the latter category) in having an up-to-date contacts database, compared with 18% who felt they were “somewhat prepared” or “not all prepared” (including 2.4% in the latter category) . This contrasts with 18% felt they were “highly prepared” or “completely prepared” (including 1.8% in the letter category) with regards to training or rehearsing compared with 44% who felt they were only “somewhat prepared” or “not all prepared” (15.3% in the latter category).

NHS communicators felt they were under-prepared when it came to horizon scanning for issues and in having documented, clear processes for decision-making. This may not be particularly surprising. Pandemics are not unknown in the UK, but the last such event was in 2009, H1N1 influenza (so-called “swine flu”) which featured far lower mortality rates and had a vaccine available after six months.

Stage 2: ‘crossing the line’

Theme two: setting communication priorities. The available guidance to practitioners (US Center for Disease Control, 2018; NHS England, 2020b) encourages the development, coordination and dissemination of public information, alerts and warnings. The questions in the survey covered five areas of prioritisation and the shift from before to after the commencement of the pandemic are shown in Figure 2.




Figure 2. Adjusting priorities before and during the pandemic

The primacy of factual public information was re-enforced during the pandemic. Behaviour change was prioritized to the point where it almost overtook stakeholder engagement and indeed did so for 'systems' respondents (that is, those larger collectives of health organisations, often locality wide and which include all services). Staff behaviour change took on the steepest change, overtaking reputation management. The qualitative comments confirmed that communicators did not have to defend the reputation of the NHS since the media and the general public were very supportive of it as an institution.

Theme 3: stakeholder prioritisation. Despite the overall increased hours devoted to communication during the pandemic, it does not appear that communicators make major 'during' the pandemic stakeholder targeting adjustments. However, breaking this down by organisational type reveals significant differences as Figure 3 shows.




Figure 4. Comparison of stakeholder focus during crisis

The striking features here are that communication with central organisations (Arms Length Bodies (ALBs)² and Regulators) experience no change and that ambulance service communicators significantly increased the amount of time communicating with the media whereas others decreased their contact or it remained the same. The outlier is the more than doubling of 'system' communication with partners, indicative of the fact that communication is centralised during a pandemic (NHS England 2020a).

Theme four: work and time. In common with other NHS workers, communicators worked longer hours than they typically worked before the pandemic. Overall working hours increased by about 25% rising from an average of just over 41 hours a week to just over 51 hours a week. The most affected, Band 8d, worked almost 40% more hours increasing from 43.46 to 60.71 per week. This last group of staff are

often regarded as ‘the engine room’ of communication and operate at Associate Director level. At the most senior levels (Band 9 and Very Senior Manager (VSM)), the percentage increase dropped to around 20-25%. However, it should be noted that these senior staff were working the longest hours before the pandemic and therefore their total ‘load’ was high.

There was a significant switch from on-site working to homeworking and a move to seven day working rosters to facilitate unbroken coverage. On average communicators spent three and a half days working at home with two days at their place of work with one and a half days off-duty each week. For many this work transition has been a large and positive step forward. Respondents to the survey referenced reduced commuting time and more family time as good reasons for home working. However, for others home working has not been as successful. They cited personal isolation, a loss of work-life balance, a negative impact on family life and a tendency towards an unhealthy, sedentary, desk-based lifestyle. One wrote of the “complete blurring of any lines between weekday/weekend, day/night, at work/not at work.”

Stage 3: Pandemic peak

As the pandemic reached its peak at the end of March 2020 there were significant changes.

Theme five: channels and tactics. Some change was predictable and driven by risk and legal restraints, such as the constraints on face to face meetings, but other changes were less so. Figure 5 benchmarks each communication channel at 50 (pre-pandemic levels) and shows the comparative increase and decrease in use.




Figure 5. Channel use before and during the pandemic

The use of mobile communication - text messaging, audio and video calling and conferencing - almost doubled, rising from the “pre-pandemic” benchmark of 50 to a “during-pandemic” rating of 92.5. Other digital communication, including web, intranet and social media also saw significant increases whereas print decreased from 50 to 41.

Respondents were asked which single communication tool and tactic they thought were most and least effective during the pandemic: this was deliberately unprompted in order to capture ‘top of mind’ responses. Most effective tools mentioned were: social media, predominantly Facebook (mentioned by 17.9% of respondents), increased use of virtual meeting technology such as video conferencing (mentioned by 14.3%) and daily staff communication bulletins and regular briefings from a visible chief executive (mentioned by 13.6%). The proliferation of new, closed staff Facebook groups was commented on by many respondents and was widely deemed to be very effective.

“We have been trying to get a staff Facebook page off the ground for ages and it has now become a really effective comms tool, particularly for clinical staff.”

Other effective tools included: webinars, virtual engagement meetings to replace traditional face-to-face engagement with staff and stakeholders, the use of explanatory videos to save staff and others from reading lengthy documents and, the establishment of a daily “battle rhythm” that gave structure and predictability to communication activities during the height of the pandemic.

More ‘traditional’ tools and tactics were regarded as being least effective. Face to face communication was mentioned by almost 20% of respondents, traditional media briefings were deemed ineffective by 17.8% of respondents and posters and pop-up banners by almost 10% of respondents, in part because the key messages were changing very rapidly.

A significant number of respondents thought all-user electronic briefings were very effective, whereas a similarly significant number felt all-user emails were not. The explanation here may be that short, sharp, well-written and well-presented electronic briefings have great impact while lengthy and often dull all-user emails are rarely read. NHS communicators increasingly recognised that busy staff were more likely to watch short video “explainers” than to read lengthy documents.

Figure 6 below shows those channels and tools that were categorised as being in the top five for most effective, least effective and most innovative.

	Most Effective	%	Least Effective	%	Most Innovative	%
1	Social media in general	17.9	Face-2-Face in general	19.4	Videoconferencing/ MS Teams	33.3
2	Video-conferencing (e.g. Teams)	14.2	PR/Press/media briefings	17.8	Facebook Staff CUG	11.3

3	Bespoke e-briefings	13.6	Global emails	14.7	Other video/virtual meetings	09.3
4	Facebook (Staff CUGs)	09.9	Posters	09.3	WhatsApp	06.6
5	'All Hands' Emails	08.6	Staff Intranet	03.9	Webinars	04.7
	Total Top Five	64.2	Total Top Five	65.1	Total Top Five	65.2
	<i>Response (162/166)</i>	<i>64.2</i>	<i>Response (129/166)</i>		<i>Response (150/166)</i>	

Figure 6. Most and least effective and most innovative channels and tools for communication during the pandemic

The other three themes under Stage 3 can be categorised as key influencing factors during the pandemic.

Theme six: national communication leadership. NHS professional communicators were asked a) if nationally provided communication content had been valuable, b) the national coronavirus communication strategy had been effective c) national command and control of communications strategy had been appropriate and d) the national control of local messaging had been acceptable

50% of respondents felt the nationally provided NHS content and messaging provided during the pandemic was valuable compared with 13% who felt it was not. The most senior communication leaders (Band 9 and VSM) were more inclined (39%) to think this content was not valuable and there was some criticism that national messaging and content was not always timely.

“One of the biggest challenges we continue to face is the lack of notice we receive for big announcements”

On the national communications strategy, opinions were more evenly balanced, with 35% of respondents agreeing that it had been effective while 38% disagreed. However, the percentage of respondents who felt the national strategy had NOT been effective jumped to 57% among the most senior communicators (Band 9 and VSM). **While it might be thought that that these most senior managers might be involved in developing this strategy, as has been explained earlier, the NHS consists of 400 semi-autonomous organisations in a loose federation. Under the powers given to NHS England in an emergency, the centralised approach debars senior communicators in other parts of the system from being involved in strategy development.**

“The biggest challenges, and there have been many, throughout this process have been around changing guidance and facts, or a need to communicate processes which everyone knows will change in a day or two”.

The issue that generated most discussion was centralised “command and control” of NHS communication. NHS England announced in early March 2020 that coronavirus had been declared a level four national emergency and under the NHS England

1
2
3 Emergency Framework (NHS England, 2020a) NHS England (national) can take
4 command of all NHS resources across England and that this will be actioned through
5 regional teams.
6

7
8 The purpose of command and control is to ensure consistency of message, unity of
9 voice and that the duty under the Civil Contingencies Act to warn and inform the
10 public is fulfilled. 41% of respondents felt the application of national command and
11 control of communication strategy and activities had not been appropriate, but
12 almost the same percentage (37%) felt the reverse. Once again, the most senior
13 professional communicators (Band 9 and VSM) were more inclined (57%) to the
14 negative view. Additionally, the weight of detailed comment was clearly troubled by
15 the way command and control had been applied.
16
17

18
19 “Biggest challenge NHS communicators face at Foundation Trust level is the
20 misuse of ‘command and control’ from the centre”.
21

22 Others offered a more nuanced response which recognised the need for command
23 and control, but raised questions about its application.
24

25
26 Front line NHS communicators often found it took an excessive amount of time to
27 sign off a proposed local communication initiative.
28

29
30 “I think NHS England/Improvement have to think about their role in NHS
31 communications. We found them really hard to deal with and their sign off
32 process far too slow,”
33

34 There were, however, some strong counter views including:
35

36
37 “I do find the criticism of national NHS/Government communications -
38 particularly from provider communication leads - a bit over the top. The
39 criticism comes with hindsight - and, speaking as a communications lead for a
40 large London hospital, the pressures/demands on me are no way near what
41 they are at a national level.”
42

43
44 On the question of whether the national control of local messaging had been
45 appropriate, 50% of survey’s respondents felt not, while 29% felt it had been.
46 Among the most senior communicators, the percentage rose significantly to 71%.
47

48
49 “It did not help that NHS England / the Department of Health and Social Care felt
50 that they knew better than us HOW to do OUR jobs locally.”
51

52 Theme seven: local senior management teams. In contrast with the linkages with
53 national communication bodies,
54

55
56 “communications has been more appreciated by (local) senior leaders over
57 the last few months and they have looked to us more frequently for assistance
58 and advice.”
59
60

Specifically, local senior management teams demonstrate: a) more active communications involvement (78.00%); b) faster decision-making (80.75%); and c) faster approvals (72.50%).

A part-explanation for senior teams' changed behaviour lies in increased communicator influence (77.5%) at the top table. It associates positively, for example, with speed of approvals. Where influence and/or active board involvement are less, approvals are slower. Most importantly, influence and involvement shape beneficial outcomes. Communicator influence, for example, alone explains: 16.70% of campaign effectiveness and 27.90% of communication results; and, combined with 'speed-of-approvals', 28% of efficiency.

Theme eight: other relationships. The pandemic appears to have driven a notable improvement in relationships between NHS communicators and the professional groups with whom they interact, see Figure 7.




Figure 7. Improvements in relationships during the pandemic

Relationships appeared to improve most in organisations that were relatively well prepared for the pandemic crisis and there was an alignment with higher levels of job satisfaction: those who reported higher levels of job satisfaction also reported improved relationships.

“The pandemic has galvanised our partnership approaches”

Respondents also felt the pandemic provided a single focus of activity that created a “sense of one team working together”.

“Having one priority and sufficient resource to do it justice was delightful.”

Stage 4: subsidence of the first wave

The survey instrument was administered when the first wave of the pandemic was subsiding and in the last part of the survey, respondents were asked to reflect on the first 90 days of the pandemic. Two themes were covered.

Theme nine: personal effects relating to stress and job satisfaction. In comparison with pre-pandemic levels, both stress (29.70%) and job-satisfaction (30.36%) increased during the pandemic. There is no clear relationship between these figures.

On job-satisfaction, there are limited, but significant associations between seniority and job-satisfaction (the more senior the individual the higher the level of increased job satisfaction). The effect, however, is individually contingent with homeworking impacting negatively on job satisfaction directly by a moderate association. There are also indirect effects via weakened relationships with both colleagues and other NHS communicators caused by issues such as the intensity, immediacy and volume of work.

Job stress increases by seniority in the grades below Band 9 (37%); and by organisational-type, among commissioners/regulators (40%+, both cases). For levels of stress, there are linkages with national strategy; command-and-control and local message-control and associations with increased community stakeholder contact over these issues, and working-time during the pandemic.

Theme ten: outcomes - performance and its enablers. NHS communicators believe their activities have achieved positive outcomes. Procedural components such as tools, channels and technologies and creative execution marginally out-perform hard outcomes such as stakeholder access and communication results. Notably, there is broad consensus that, during-pandemic, communications teams have performed both more efficiently and more effectively. (Nearly 80% somewhat/strongly agree both cases).

In the free comment section, respondents were asked to review whatever aspect of the pandemic they wished, but specifically what changed over the 90 days. The results are categorised by changes for individuals, organisations and the NHS system as a whole with the top five for each provided in Figure 8. The profundity of change is summarised by this quote:

“Everything! Moving from a focus on our financial problems and need for a future in a hospital chain to focus on a nimble response to system needs, treating cancer patients, moving just about every clinical service to a different location on site to separate screened and unscreened patients.”

	Personal	%	Organisational	%	Wider NHS	%
1	Homeworking	31.4	Homeworking (joint first)	14.7	NHS value	15.8
2	Intensity/ impact	11.4	Technology (joint first)	14.7	Agile working	11.6
3	Span: ops	11.4	New modes of	11.5	Technology	09.6

	involvement		service delivery (joint third)			
4	Homeworking issues	07.2	Agile working (joint third)	11.5	Partnership working	07.5
5	Appreciation of comms value	07.2	Culture (joint fifth)	06.1	National command and control	05.5
5=			Productivity (joint fifth)	06.1		
	Total Top Five	68.6	Total Top Five	64.6	Total Top Five	50.0
	<i>Response (166/166)</i>		<i>Response (164/166)</i>		<i>Response (146/166)</i>	

Figure 8. Top five changes during the pandemic

For individuals the most significant change, to home-working, was for some a benefit, but it brought significant issues (fourth ranked). The second ranked change, intensity, includes a complex, individually contingent value-equation. For some it has been a generative experience “I feel more prepared and able than ever to do my job”, for others, change has lost its initial energising rush: “work is overwhelming and whilst incredibly rewarding at the outset of COVID, less so as the daily grind returns”.

For organisations homeworking and technology are ranked as the joint top changes with video-conferencing featuring most often. Joint third, new modes of service delivery and new-modes of working indicates the pandemic’s transformative and ‘disrupter’ effects which had many positive effects, but also brought adverse consequences such as de-prioritisation of many services and projects, including elective surgery, which has emerged as a major issue.

For the wider NHS, its perceived value has increased, but this hides both positive and negative connotations. Without doubt, “the pandemic has strengthened the reputation of the NHS (which is) more respected... the public values the NHS more... broader appreciation and gratitude.” Characterised by “almost a feeling of reverence”, the NHS has been pedestalsed in national esteem.

Communicator-optimists hope this exalted status lays foundations for “better public understanding of the complexities of delivering modern healthcare.” However, pessimists see it as risk-laden: “the public has reminded itself why it loves the NHS – presenting a longer-term problem for anyone who wants to change things.” It also impacts on the expectations placed on the NHS which have been heightened, potentially dangerously so in terms of service provision and quality.

The free comment section also encouraged observations on innovations during the pandemic, how communicators will change their leadership/management and delivery of communication as a result, and on the next big challenge for the NHS.

The results can be summarised as providing four agendas for action. First, the *immediate* requirement to remain on full crisis communication alert for future COVID waves and a much-heightened ‘winter impact’ among susceptible groups.

1
2
3 Second, a *risk* agenda which includes a) winning public consent for the 'new normal'
4 of a 'very different post-pandemic NHS'. b) crafting and investing in strong 'public
5 health messaging' to manage an anticipated demand surge (many services, for
6 instance elective surgery, will play 'catch-up' while others, for example, mental
7 health, will be required to address on-going pandemic consequences; c) expectation
8 management to retain public confidence and protect reputation. Put succinctly, "the
9 media and public will start turning on the NHS as we are unable to meet
10 expectations of restoring services and seeing people as quickly as they hope."
11
12
13

14 Third, a *continuous change* agenda which involves; engaging and sustaining
15 commitment among an 'exhausted workforce'; sustaining innovation in the face of
16 'increasing governance' and the 'digital equalities gap'; promoting and embedding
17 agile and flexible working in teams and in cross-organisational collaboration;
18 reduced administration ('biggest change = reduction in meetings'); and accelerated
19 digital technology adoption.
20
21
22

23 Fourth and finally, a communication *functional* agenda which consists of a) re-setting
24 the relationship with 'frustrating, hard to deal with' national communications to
25 ensure best preparation for any future at-scale waves and pandemic events; b)
26 building on the attractions of change to recruit and retain 'high-calibre'
27 communications staff; and c) resisting a return to the 'shadows' via consolidation of
28 communications' hard-won recognition as an 'essential service'.
29
30

31 **Discussion**

32
33 The data gathered provides opportunity for extensive and extended discussion and
34 space limitations demands that this section is necessarily selective. The discussion
35 again follows the four stage chronology picking out a number of topics for further
36 elaboration.
37
38

39 *Stage 1: crisis preparedness*

40
41 The literature (Coombes, 2019; Staupe-Delgado & Kruke, 2018; Amirkhani et al,
42 2016) and practitioner guidance (WHO, 2005) suggests that risk assessment,
43 resources and preparations that enable optimal performance are crucial in the crisis
44 preparedness phase. The results indicate that the English NHS was reasonably well
45 prepared overall. It is unsurprising that the best scores were associated with up to
46 date contacts/data based and capabilities: partly explained by the fact that the NHS
47 is a bureaucratic and regulated system with administrative processes that are
48 developed and embedded. Relationship links and 'pathways' both within and without
49 the service are generally well-established and processes for communicating with
50 patients and the community formalised. It is clear this served the communication
51 community well and is counter to many anecdotal stories in other kinds of
52 organisations about difficulties in obtaining definitive contact lists and data-bases.
53
54
55
56

57 The findings on preparedness capability are also unsurprising. In many sectors, a
58 communication crisis is the exception. In the NHS it can be one emergency call
59 away. It is well used to dealing with death, accidents of scale and service errors that
60

1
2
3 have critical consequences. Crisis prevention and handling is the everyday normal.
4 This may also explain why training and simulation scores the lowest. The NHS is
5 perpetually in training for crises, but, in common with other public services in the UK,
6 although a pandemic had been anticipated in the national emergency plan, its
7 importance had been downgraded and therefore no specific outbreak training had
8 been undertaken and this possibly explains some of the problems with 'command
9 and control'.
10
11

12
13 Overall, being prepared for the crisis set the campaign 'tone'. Good preparation
14 associates positively with: communicators' ability to influence local organisational
15 boards; better overall campaign efficiency and greater effectiveness. However,
16 those who were 'not at all' prepared **were** adversely affected by the positives just
17 mentioned.
18
19
20
21

22 *Stage 2: 'crossing the line'*

23
24 As the pandemic struck, NHS communicators rapidly had to prioritise their
25 communication goals and stakeholders and restructure working practices.
26

27 Loud and Simpson's (2017) review of best practice recommends that during-
28 pandemic communication priorities should be to maintain institutional trust and
29 stimulate uptake of preventative measures as antecedents of outbreak control. This
30 approach appears to be embedded in the UK Government's original messaging:
31 institutional trust + preventative behaviour = outbreak control translated into the three
32 part slogan 'Protect the NHS (a trusted institution), Stay at home, Save lives'.
33
34

35 Seven different types of organisations were surveyed and normally they have
36 different communication priorities. However, on the whole, during-pandemic NHS
37 communicators increase emphasis on both public information and behaviour-
38 change. This is very much in line with NHS England's (2020a) injunction and is
39 facilitated via the command and control structure: local communicators were not only
40 compliant with command and control directives on priorities, they were supportive of
41 them. There was little objection to the overall direction set centrally, the discontent,
42 especially among the most senior communicators in local organisations, was around
43 not recognising the importance and relevance of local knowledge, cumbersome
44 processes and poor timing.
45
46
47

48 Concerning stakeholder selection and targeting, the literature and guidance on
49 pandemic health communication is conflicted. For example, in the US, Crisis and
50 Emergency Risk Communication (Hewitt et al, 2008) recommends a standard
51 approach to public communication. Others, (Loud & Simpson, 2017; Crouse-Quinn,
52 2008) recommend a differentiated and tailored approach. As already shown, this
53 debate is played out in the issues around NHS national level control of local
54 messaging. The results show there were significant differences in shifts in
55 stakeholder selection and targeting based on organisational imperatives, but they do
56 not show any shift to accommodate minority challenges. This is borne out by UK
57 media reports at the end of April that "people from a **BAME**³ background make up
58
59
60

1
2
3 about 13% of the UK population, but account for one-third of patients admitted to
4 hospital critical care units” (Cookson & Milne, 2020). A fact encapsulated in what has
5 become a popular aphorism about the differential impacts of Covid 19 in the UK, “we
6 may all be in the same storm, but we are not all in the same boat”.

7
8
9 On the theme of work and time, it is noteworthy that the hardest pressed group in
10 terms of increased hours is at Band 8d: Associate Directors. It is at this point where
11 national policy and Board decisions are operationalised. Even though the ‘load’ is
12 shared by already hard-pressed Band 9 and VSMS, as directives are received
13 (sometimes at very short-notice and often in the form of lengthy and complex
14 documents), the risk potential in getting the operationalisation wrong are significant.
15 Operationalisation entails extensive and extended communication and this group of
16 professionals are the pivotal point in the chain. The pressure is increased by the
17 switch to tele or home working and to seven day rotas.
18
19

20
21 **Operationally, the combined effects of long hours, switch to tele- or home working**
22 **and seven day shifts are equivocal. Nonetheless, failure to evidence positive**
23 **associations for homeworking, seven-day working, and longer hours is striking and**
24 **could be gendered.**
25
26
27

28 *Stage 3: Pandemic peak*

29
30
31 During the pandemic peak a range of new channels and tactics were used and a
32 strong wave of transformative innovation across the NHS was triggered. The findings
33 answer calls in the literature for ‘tools and tactics’ guidance and they also highlight
34 two opportunities for communicators to own, shape and lead.
35

36
37 First, video conferencing’s potency, as pandemic communication technology-
38 enabler, extends beyond home working and internal audiences. For example
39

40 “patient communication is the biggest innovation - the move to
41 telephone/video conferencing has been a challenge for years and now within
42 weeks it is commonplace.”
43
44

45 Assuming it becomes the norm, video-conferencing offers a platform for many new
46 public facing applications.
47

48 Second, effective innovation may be low-cost and incremental. COVID-specific
49 closed-user groups (CUGs) on the Facebook platform achieved top-five
50 ‘nominations’ for both effectiveness and innovation. Similarly, intranets: the fully
51 collaborative, productivity-focused 4th-generation versions elicits support during-
52 pandemic and offers significant collaborative potential.
53
54

55 However, there is a caveat to be added to technological transformation: it is not a
56 universal panacea. It
57
58
59
60

1
2
3 “disassociates communication from face to face contact and relationship-
4 building with staff and presents huge barriers to gathering strong messages...
5 The result is less rich and powerful communication.”
6
7

8 On the *national communication leadership* theme, the lack of input to and influence
9 over communication strategy by local and individual organisations is concerning.
10 This is important because it suggests that national policy- and strategy-formulation
11 neither secured shared goals with local teams nor harnessed the potency of a 3000-
12 strong communications field-force. At a tactical level, while content and messaging
13 was regarded as valuable, the timing issues betray a lack of understanding of the
14 needs and operational realities of those at the local and organisational level ‘sharp
15 end’. In addition, the application of command and control and the implied ‘we know
16 best’ and ‘do as you are told’ overtones did much to depress morale and alienate a
17 skilled, dedicated and knowledgeable communication workforce to the extent that
18 relationships have to be re-built.
19
20
21

22 As far as *relationships with others* theme is concerned, the results indicate that
23 relationships emerge as a ‘nexus’ running throughout the crisis’ constitutive fabric
24 from its antecedents through to its diminution. The results demonstrate
25 communicators’ willingness and ability to embrace change and to see it as a positive.
26 Given the inertia that characterises the NHS, institutionalised through its structures,
27 the power of professional interests and regulatory systems, this zest for change is
28 relatively rare. At all levels, communicators celebrated the “tearing down of barriers”,
29 a reduction in bureaucracy and the development of streamlined local approvals
30 processes both intra and inter organisation during the pandemic with 82% feeling
31 that management decision-making was generally faster. It is clear many viewed this
32 as a unique opportunity to instigate rapid change and to embed some of the positive
33 transformations that have emerged. Communicators emerged as catalysts for
34 change and modelled that change in their own quickly re-engineered working
35 practices. There was, however, a fear that positive, innovative change could easily
36 be forgotten and the NHS could fall back into old, bureaucratic behaviours.
37
38
39
40
41
42
43
44

45 *Stage 4; reflection on outcomes – performance and its enablers.*

46 With regards to *personal effects*, it has passed into the practitioner mythology that
47 communicators thrive on deadlines and crises. The results show that job-satisfaction
48 increased during the pandemic, despite respondents rating communication among
49 the most stressful occupations. **It is plausible to deduce from this that stress and job
50 satisfaction can be positively correlated - the satisfaction that comes with doing
51 something important and difficult, and doing it well.** At the end of the pandemic they
52 were left feeling “exhausted...tired and drained’ and some, as noted earlier were
53 ambivalent about prolonged home or tele-working. Interestingly the ‘intangibles’ of
54 working under ‘normal’ conditions came out strongly as missing factors that affected
55 them most when working at home: the incidental conversations, the water cooler
56 moments when there was break from the pressure to chat about other things, the
57
58
59
60

1
2
3 feeling of being connected, all came over as being more than 'hygiene' factors. They
4 are part of the business of being a professional communicator, who, to be
5 functionally expert, needs to be embedded into the materiality of the organisation
6 and its relationships.
7
8

9 Closely linked to the theme of job-satisfaction, reflection identified that during-
10 pandemic, communication teams had performed efficiently and effectivity despite a
11 lack of resources, mainly human, with some technology gaps. These communicators
12 appeared to believe they had made a breakthrough in terms of being respected,
13 included and regarded as trusted advisers by senior managers and of gaining the
14 level of influence to be able to cut through cumbersome and obstructive decision-
15 making and hierarchical processes. Their own self-respect and confidence has also
16 received a boost. The pride in the quality of their work and the outcomes achieved
17 despite the challenges, is palpable.
18
19
20

21 Focussing in more detail on the final area of the research, the free comment section,
22 the views of communicators can be summarised under five words:
23
24

25 *Cohesion*: 'one clear focus' enabling staff "in the main to pull together".
26

27 *Commitment*: 'staff empowerment' and matching heightened 'morale', normalisation
28 of 'flexible working' and 'staff redeployment'.
29

30 *Congruence*: greater 'system-' and 'partnership-working' and 'in the quiet spaces of
31 ...empty wards'.
32
33

34 *Creativity*: 'rethinking' of future delivery including online ('video/telephony'),
35 'reconfiguration of entire hospital services' supporting "health and social care
36 providers to deliver services in different and new ways";
37
38

39 *Communication*: breaking new ground 'across organisations, partners, stakeholders'
40 and 'across traditional boundaries.'
41

42 Communicators also had a very clear view on the various agendas for the future as
43 outlined in the results.
44
45
46
47

48 **Conclusions and recommendations.**

49

50 This article identifies a number of gaps which are addressed in this research. First, at
51 the national level, there are pointers towards best practice in pandemic
52 communication which are generalisable. Five stand out as being of note: the
53 importance of rehearsal and training in pandemic preparedness; the prioritisation of
54 honest, informative public information which in turn encourages changes in
55 behaviour that assists in public protection; differentiated communication for different
56 stakeholder groups; streamlined, de-bureaucratized and collaborative approaches to
57 communication between national and local; support for 'engine room' communicators
58 who bear the brunt of operationalising policy into communication products, and the
59
60

1
2
3 importance of strong and extended formal and informal relationships being built
4 before crises.
5

6
7 Second, the research has identified contemporary tools and the mix of those tools
8 that health organisations need in order to serve their organisational and stakeholder
9 needs, with mobile and digital coming to the fore, but also a recognition that minority
10 communities have particular information needs which, if not satisfied lead to
11 disproportionate health vulnerabilities.
12

13
14 Finally, this research has addressed the gap in the pandemic communication
15 literature that treat communicators as peripheral actors. This study confirms them as
16 major players, central in organisational decision-making and pivotal in generating
17 health outcomes. Furthermore, it has provided a rare perspective of professional
18 communicators *in* crises seldom captured and assessed.
19

20
21 The research provides the basis for a number of recommendations which are
22 applicable not only to health, but to other sectors, especially those in public services
23 structured into national, local and organisational levels.
24

25
26 During the pandemic, communicators were disempowered and frustrated by
27 embedded systems, processes and practices such as cumbersome command and
28 control processes and over-hierarchical internal approvals practices. It is
29 recommended that these 'pathways' be reviewed and revised to be 'fit for purpose'
30 and tested in national planning and rehearsal exercises.
31

32
33 A national information deficit has been identified with minority communities which
34 has contributed (but is not solely responsible) to the pandemic impacts being more
35 severe for them. This is reflected elsewhere in the world where disadvantaged
36 communities appear to have suffered disproportionately. In future pandemic
37 communication planning, it is recommended that additional consideration be given to
38 the needs of minority communities and strategies and tactics developed to address
39 them.
40

41
42 It is clear that the personal work and stress impacts on communicators of working
43 through a pandemic has been particularly acute for those working at senior levels in
44 'the engine room', where policy is operationalised. This represents a significant risk
45 to organisations, the system and the population. It is therefore recommended that
46 additional resources at this level are built into emergency plans.
47

48
49 As part of what is called in the vernacular 'the new normal' there are some calls
50 among communicators and organisational leaders to move to more on-line and
51 home working, but there is ambivalence about this. It is recommended that a full
52 review of the psychological and unintended consequences of this, such as
53 communicators being unwoven from the fabric of their organisations, well as the
54 efficiency and effectiveness impacts be undertaken before such a move is
55 institutionalised.
56
57
58
59
60

This research also provides a platform and incentive for further work to aid theoretical and practical development. The following two lines of enquiry are suggested as being urgent, although many more could be recommended.

- a) To investigate the 'communication entropy' that was observable where initial communication was seen to be impactful and effective initially, but less so as the pandemic progressed. Research on antecedents and remedies is required.
- b) To investigate further the personal impacts of prolonged crises on professional communicators in order to identify the barriers and opportunities for optimal performance.

In the longer term research in other sectors that are under attack, for example, primary extraction industries or the financial services sector during a recession could form the basis for a meta-study that could reach generalized conclusions about the actual experience of practitioners in a crisis of prolonged duration.

Notes

1. Public relations practitioners are known as communicators/communication professionals in the UK public service and the terms should be regarded as synonymous.
2. Arms Length Bodies are non-ministerial organisations attached to the DH&SC such as NHS England and Public Health England.
3. BAME is the UK accepted short-form for Black, Asian and Minority Ethnic communities

Bibliography

- Amirkhani, A.H., Saremi, A.R., & Shahrasp, R. (2016), The relationship between structural and content dimensions of organization with crisis communications preparedness, *Mediterranean Journal of Social Sciences*, Vol. 7, No. 3, pp 54-64.
- Baker, C. (2020). *NHS key statistics: England February 2020. Briefing paper 7281*. House of Commons Library: London
- Cairns, G., de Andrade, M., & MacDonald, L. (2013). Reputation, relationships, risk communication and the role of trust in the prevention and control of communicable disease: a review, *Journal of Health Communication*, Vol. 18, No. 12, pp.1550-1565.
- Cookson, C., & Milne, R. (2020), Nations look into why coronavirus hits ethnic minorities so hard, *Financial Times*, 29 April, London UK.
- Coombs, W.T. (2015). Crisis public relations management, in R. Tench & L. Yeomans (eds.) *Exploring Public Relations*. Harlow, UK: Pearson Education Limited
- Coombs, W.T. (2019). *Ongoing crisis communication*. Thousand Oaks, Cal: Sage

1
2
3 Coombs, W.T. & Holladay, S. (eds), (2010). *The handbook of crisis communications*.
4 Chichester UK: Wiley

5
6 Crouse-Quinn, S. (2008). Crisis and emergency risk communication in a pandemic: a
7 model for building capacity and resilience of minority communities, *Health Promotion*
8 *Practice*. Vol. 9, No. 4, pp. 18-25

9
10 European Centre for Disease Prevention and Control (2015). *Preparedness planning*
11 *for respiratory viruses in EU Member States*. Available from
12 [https://www.ecdc.europa.eu/en/publications-data/preparedness-planning-respiratory-](https://www.ecdc.europa.eu/en/publications-data/preparedness-planning-respiratory-viruses-eu-member-states)
13 [viruses-eu-member-states](https://www.ecdc.europa.eu/en/publications-data/preparedness-planning-respiratory-viruses-eu-member-states)

14
15
16 Fearn-Banks, K. (2007). *Crisis communications: a casebook approach*. 3E, Mahwah
17 NJ: Lawrence Erlbaum.

18
19 Fink, S. (2013). *Crisis communication: The definitive guide to managing the*
20 *message*. New York: McGraw-Hill Education

21
22 Fisher, D.A., Hui, D.S., Gao, Z., Lee, C., Oh, M. D., Cao, B., Tran, T.H., Patlovich.,
23 Farrar, J. (2011). Pandemic response lessons from influenza H1N1 2009 in Asia,
24 *Respirology*, Vol. 16, No. 6, pp.876-882.

25
26
27 InstituteHarker, R. (2019). *NHS Funding and Expenditure*. Briefing paper CBP0724,
28 London: House of Commons

29
30 Heath, R.L. (2010), Crisis communication: defining the beast and de-marginalising
31 key publics, in W.T. Coombs & S. Holladay (eds), *The handbook of crisis*
32 *communications*, Chichester UK: Wiley

33
34 Hewitt, A.M., Spencer, S.S., Ramioll, R., & Trotta, H. (2008). Expanding CERC
35 beyond public health: sharing best practice with healthcare managers via virtual
36 learning, *Health Promotion Practice*, Vol. 9, No. 4, pp 3-87.

37
38
39 Infanti J, Sixsmith J, Barry MM, Núñez-Córdoba J, Oroviogicoechea-Ortega C and
40 Guillén-Grima F. A (2013). *Literature review on effective risk communication for the*
41 *prevention and control of communicable diseases in Europe*, Stockholm Sv: ECDC.

42
43 ISS TELL ME (2013), D1.7 Population behaviour in epidemics summary report.
44 European Commission: Available from <https://www.tellmeproject.eu>

45
46 Kings Fund. (2020a). *Key facts and figures about the NHS*. Available from
47 <https://www.kingsfund.org.uk/audio-video/key-facts-figures-nhs>

48
49 Lee, K. (2009). How the Hong Kong government lost the public trust in SARS:
50 Insights for government communication in a health crisis. *Public Relations Review*.
51 Vol. 35, No. 1, pp74–76

52
53
54 Loud, E. & Simpson, I. (2017). *D3.3 Review of best practice, inventory of*
55 *digital/social media for communications and analysis of current systems and*
56 *technologies*, PANDEM – Pandemic Risk and Emergency Management:
57 pandem.eu.com
58
59
60

1
2
3 Manias-Munoz, I, Jin, Y. & Reber, B. (2019). The state of crisis communication
4 research and education through the lens of crisis scholars: An international Delphi
5 study. *Public Relations Review*, no. 45, article 101797.

6
7 Manika, D., and Gregory-Smith, D. (2017). Health marketing communications: an
8 integrated conceptual framework of key determinants of health behaviour across the
9 stages of change. *Journal of Marketing Communications*. Vol. 23, no.2, pp. 22-72.

10
11 Menon, K.U. & Goh, K.T. (2005). Transparency and trust: risk communications and
12 the Singapore experience in managing SARS, *Journal of Communication
13 Management*, Vol. 9 No. 4, pp. 375-383.

14
15 Mitroff, I. I. (1996). *Essential guide to managing corporate crisis: A step-by-step
16 guide*. New York: Oxford University Press

17
18 NHS England. (2020a). *Emergency Preparedness, Resilience and Response
19 Framework*. Available at [https://www.england.nhs.uk/wp-
21 content/uploads/2015/11/epr-
22 framework.pdf](https://www.england.nhs.uk/wp-content/uploads/2015/11/epr-
20 framework.pdf)

23
24 NHS England. (2020b). *Core standards for EPRR*. Available at
25 [https://www.england.nhs.uk/publication/nhs-england-core-standards-for-epr-
27 r/](https://www.england.nhs.uk/publication/nhs-england-core-standards-for-epr-
26 r/)

28
29 Nichols, B. (2019). Making a difference: communications in healthcare. *Journal of
30 Innovative Business and Management*, Vol. 11, No. 1, pp. 25-37.

31
32 Nuffield Trust. (2020). *The NHS workforce in numbers*. Available at
33 <https://www.nuffieldtrust.org.uk/resource/the-nhs-workforce-in-numbers>

34
35 ONS [Office for National Statistics], 2020a. *Deaths registered weekly in England and
36 Wales, provisional*. Available at
37 [https://www.ons.gov.uk/peoplepopulationandcommunity/birthsdeathsandmarriages/d
39 eaths/datasets/weeklyprovisionalfiguresondeathsregisteredinenglandandwales](https://www.ons.gov.uk/peoplepopulationandcommunity/birthsdeathsandmarriages/d
38 eaths/datasets/weeklyprovisionalfiguresondeathsregisteredinenglandandwales)

40
41 ONS [Office for National Statistics] (2020b). *Population projections for NHS Regions
42 (release March 2020)*. Available at
43 [https://www.ons.gov.uk/peoplepopulationandcommunity/populationandmigration/pop
45 ulationprojections](https://www.ons.gov.uk/peoplepopulationandcommunity/populationandmigration/pop
44 ulationprojections)

46
47 Park, S., Boatwright, B. & Avery, E.J. (2019). Information channel preference in
48 health crisis: Exploring the roles of perceived risk, preparedness, knowledge, and
49 intent to follow directives. *Public Relations Review*, No. 45, Issue 5, article 101794

50
51 Powell, T. (2020). *The structure of the NHS in England. Briefing paper 7206*. House
52 of Commons Library: London

53
54 Savoia, E., Lin, L., & Viswanath, K. (2013), Communications in public health
55 emergency preparedness: a systematic review of the literature, *Biosecurity and
56 Bioterrorism. Biodefense Strategy, Practice and Science*, Vol. 11, No. 3, pp 170-184

57
58 Staube-Delgado, R., & Kruke, B.I. (2018). Preparedness: unpacking and clarifying
59 the concept. *Journal of Contingencies and Crisis Management*, Vol. 26, No. 2, pp.
60 212-224.

1
2
3 Strömbäck, J., & Nord, L. W. (2006). Mismanagement, mistrust and missed
4 opportunities: a study of the 2004 tsunami and Swedish political communication.
5 *Media, Culture & Society*. Vol. 28, No. 5, pp. 789-800.

6
7 Taylor, M., & Kent, M.L. (2014). Dialogic engagement: clarifying foundational
8 concepts, *Journal of Public Relations Research*, Vol. 26, No. 5, pp. 384-398.

9
10 UK Government (2020). *Health Protection (Coronavirus, Restrictions) (England)*
11 *Regulations 2020*. Available at
12 <https://www.legislation.gov.uk/ukxi/2020/350/contents/made>

13
14
15 US Center for Disease Control (2018). *Preparedness and response capabilities*.
16 Available at <https://www.cdc.gov/cpr/readiness/capabilities>.

17
18 Vaismoradi, M, Turunen, H., & Bondas, T. (2013), Content analysis and thematic
19 analysis: Implications for conducting a qualitative descriptive study. *Nursing and*
20 *Health Sciences*. Vol. 15, No. 3, pp. 398-405.

21
22 WHO World Health Organisation] (2005). *Outbreak communications guidelines*.
23 Geneva, Switzerland: WHO.

24
25 Witte, K. (1992). Putting the fear back into fear appeals: the extended parallel
26 process model. *Communication Monographs*, Vol. 59, No. 4. pp. 329-349

27
28 Witte, K., Meyer, G., & Martell, D. (2001). *Effective health communication*
29 *messages: A step-by-step guide*. Thousand Oaks, CA: Sage.

30
31 Zhang, E. & Benoit, W.L. (2009). Former Minister Zhang's discourse on SARS:
32 Government's image restoration or destruction? *Public Relations Review*, Vol 35.
33 No. 3, pp. 240-246
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60